ELSEVIER

Neuroscience Letters 311 (2001) 212–214

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 311

Volume 311, no. 1

Guidelines for the submission of manuscripts v

Tumor necrosis factor gene polymorphisms in patients with sporadic Parkinson's disease
M. Nishimura, I. Mizuta, E. Mizuta, S. Yamasaki, M. Ohta, R. Kaji, S. Kuno (Japan) 1

Dose-related alteration in nitric oxide synthase mRNA expression induced by amphetamine and the full D1 dopamine receptor agonist SKF-82958 in mouse striatum
J.Q. Wang, Y.-S. Lau (USA) 5

Changes of beta-actin mRNA expression in canine vasospastic basilar artery after experimental subarachnoid hemorrhage
H. Ohkuma, H. Tsurutani, S. Suzuki (Japan) 9

Changes in brain content of nociceptin/orphanin FQ and endomorphin 2 in a rat model of neuropathic pain
R.-Q. Sun, Y. Wang, C.-S. Zhao, J.-K. Chang, J.-S. Han (P.R. China, USA) 13

Leukemia inhibitory factor induces nociceptin mRNA in cultured rat cortical neurons
M. Minami, H. Yamakuni, Y. Ohtani, M. Okada, J. Nakamura, M. Satoh (Japan) 17

Genetic interaction between *shibire* and *comatose* mutations in *Drosophila* suggest a role for snap-receptor complex assembly and disassembly for maintenance of synaptic vesicle cycling
S. Sanyal, L.A. Tolar, L. Pallanck, K.S. Krishnan (USA, India) 21

Long-lasting memory of sounds combined with reward in rats
S. Watanabe, M. Kudoh, K. Ohnishi, K. Shibuki (Japan) 25

EEG gamma-band phase synchronization between posterior and frontal cortex during mental rotation in humans
J. Bhattacharya, H. Petsche, U. Feldmann, B. Rescher (Austria) 29

Directional responses of basal optic neurons are modulated by the nucleus lentiformis mesencephali in pigeons
Y. Wang, Y. Gu, S.-R. Wang (China) 33

Human pre-attentive auditory change-detection with single, double, and triple deviations as revealed by mismatch negativity additivity
C. Wolff, E. Schröger (Germany) 37

Roles of central interleukin-1 on stress-induced-hypertension and footshock-induced-analgesia in rats
C.-J. Zou, J.-D. Liu, Y.-C. Zhou (People's Republic of China) 41

Hypermetabolism of paraventricular hypothalamus in the congenitally helpless rat
J. Shumake, E. Edwards, F. Gonzalez-Lima (USA) 45

Inflammation with no axonal damage of the rat saphenous nerve trunk induces ectopic discharge and mechanosensitivity in myelinated axons
E. Eliav, R. Benoliel, M. Tal (Israel) 49

Manganese mimics the action of 1-methyl-4-phenylpyridinium ion, a dopaminergic neurotoxin, in rat striatal tissue slices
Y. Hirata, K. Kiuchi, T. Nagatsu (Japan) 53

Neurons in the lateral paragigantocellular nucleus projecting to the infralimbic cortex in rats: electrical activity and response to changes in blood pressure
A. Ishikawa, Y. Ishida, S. Nakamura (Japan) 57

cAMP is involved in the differentiation of human teratocarcinoma cells
R.R. De Jonge, I.N. Van Schaik, M. Vermeulen, M.S.G. Kwa, F. Baas (The Netherlands) 61

Prolonged survival of axons terminating within lesions of cat visual cortex
G.A. Fowler, H. Sherk (USA) 66

Volume 311, no. 2

Lumbar spinal cord explants from neonatal rat display age-related decrease of outgrowth in culture
J.M.P. Mouveroux, E.A.J.F. Lakke, E. Marani (The Netherlands) 69

The effect of expertise in gymnastics on proprioceptive sensory integration in human subjects
N. Vuillerme, N. Teasdale, V. Nougier (France, Canada) 73

ELSEVIER

Neuroscience Letters 311 (2001) 212–214

Neuroscience Letters

www.elsevier.com/locate/neulet

Contents to Volume 311

Volume 311, no. 1

Guidelines for the submission of manuscripts v

Tumor necrosis factor gene polymorphisms in patients with sporadic Parkinson's disease
M. Nishimura, I. Mizuta, E. Mizuta, S. Yamasaki, M. Ohta, R. Kaji, S. Kuno (Japan) 1

Dose-related alteration in nitric oxide synthase mRNA expression induced by amphetamine and the full D1 dopamine receptor agonist SKF-82958 in mouse striatum
J.Q. Wang, Y.-S. Lau (USA) 5

Changes of beta-actin mRNA expression in canine vasospastic basilar artery after experimental subarachnoid hemorrhage
H. Ohkuma, H. Tsurutani, S. Suzuki (Japan) 9

Changes in brain content of nociceptin/orphanin FQ and endomorphin 2 in a rat model of neuropathic pain
R.-Q. Sun, Y. Wang, C.-S. Zhao, J.-K. Chang, J.-S. Han (P.R. China, USA) 13

Leukemia inhibitory factor induces nociceptin mRNA in cultured rat cortical neurons
M. Minami, H. Yamakuni, Y. Ohtani, M. Okada, J. Nakamura, M. Satoh (Japan) 17

Genetic interaction between *shibire* and *comatose* mutations in *Drosophila* suggest a role for snap-receptor complex assembly and disassembly for maintenance of synaptic vesicle cycling
S. Sanyal, L.A. Tolar, L. Pallanck, K.S. Krishnan (USA, India) 21

Long-lasting memory of sounds combined with reward in rats
S. Watanabe, M. Kudoh, K. Ohnishi, K. Shibuki (Japan) 25

EEG gamma-band phase synchronization between posterior and frontal cortex during mental rotation in humans
J. Bhattacharya, H. Petsche, U. Feldmann, B. Rescher (Austria) 29

Directional responses of basal optic neurons are modulated by the nucleus lentiformis mesencephali in pigeons
Y. Wang, Y. Gu, S.-R. Wang (China) 33

Human pre-attentive auditory change-detection with single, double, and triple deviations as revealed by mismatch negativity additivity
C. Wolff, E. Schröger (Germany) 37

Roles of central interleukin-1 on stress-induced-hypertension and footshock-induced-analgesia in rats
C.-J. Zou, J.-D. Liu, Y.-C. Zhou (People's Republic of China) 41

Hypermetabolism of paraventricular hypothalamus in the congenitally helpless rat
J. Shumake, E. Edwards, F. Gonzalez-Lima (USA) 45

Inflammation with no axonal damage of the rat saphenous nerve trunk induces ectopic discharge and mechanosensitivity in myelinated axons
E. Eliav, R. Benoliel, M. Tal (Israel) 49

Manganese mimics the action of 1-methyl-4-phenylpyridinium ion, a dopaminergic neurotoxin, in rat striatal tissue slices
Y. Hirata, K. Kiuchi, T. Nagatsu (Japan) 53

Neurons in the lateral paragigantocellular nucleus projecting to the infralimbic cortex in rats: electrical activity and response to changes in blood pressure
A. Ishikawa, Y. Ishida, S. Nakamura (Japan) 57

cAMP is involved in the differentiation of human teratocarcinoma cells
R.R. De Jonge, I.N. Van Schaik, M. Vermeulen, M.S.G. Kwa, F. Baas (The Netherlands) 61

Prolonged survival of axons terminating within lesions of cat visual cortex
G.A. Fowler, H. Sherk (USA) 66

Volume 311, no. 2

Lumbar spinal cord explants from neonatal rat display age-related decrease of outgrowth in culture
J.M.P. Mouveroux, E.A.J.F. Lakke, E. Marani (The Netherlands) 69

The effect of expertise in gymnastics on proprioceptive sensory integration in human subjects
N. Vuillerme, N. Teasdale, V. Nougier (France, Canada) 73

Oxidised adenosine 5′-triphosphate, a $P2X_7$ antagonist, is toxic to rat cerebellar granule neurones in vitro
M.W. Craighead, K.M.L. Middlehurst, R. LeFeuvre, I. Kimber, N.J. Rothwell (UK) 77
Positron emission tomography shows that impaired frontal lobe functioning in Parkinson's disease is related to dopaminergic hypofunction in the caudate nucleus
A. Brück, R. Portin, A. Lindell, A. Laihinen, J. Bergman, M. Haaparanta, O. Solin, J.O. Rinne (Finland) 81
Effect of anoxia and adenosine on cerebral blood flow in the leopard frog *(Rana pipiens)*
V. Söderström-Lauritzsen, G.E. Nilsson, P.L. Lutz (Norway, USA) 85
Functional expression of alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptors precedes the development of cholinergic phenotype in embryonic rat septal cells in culture
T. Suzuki, T. Matsugi, R. Takagi, M. Kanagawa, M. Hirata, T. Nakamura, Y. Kudo, K. Kawashima (Japan) 89
Differences in event-related and induced EEG patterns in the theta and alpha frequency bands related to human emotional intelligence
N. Jaušovec, K. Jaušovec, I. Gerlič (Slovenia) 93
Human elbow joint torque is linearly encoded in electromyographic signals from multiple muscles
J.J. Kutch, T.S. Buchanan (USA) 97
Functional role of inducible nitric oxide synthase on mouse colonic motility
R. Mancinelli, A. Fabrizi, R. Vargiu, L. Morrone, G. Bagetta, G.B. Azzena (Italy) 101
Cellular expression of functional chemokine receptor CCR5 and CXCR4 in human embryonic neurons
A. Boutet, H. Salim, P. Leclerc, M. Tardieu (France) 105
Reticular premotor neurons projecting to both facial and hypoglossal nuclei receive trigeminal afferents in rats
C. Dauvergne, G. Pinganaud, P. Buisseret, C. Buisseret-Delmas, F. Zerari-Mailly (France) 109
Effect of noradrenergic denervation of medial prefrontal cortex and dentate gyrus on recovery after sleep deprivation in the rat
C. Charifi, G. Debilly, L. Paut-Pagano, R. Cespuglio, J.L. Valatx (France) 113
Possible involvement of amino acid transporters on S-nitroso-cysteine-induced inhibition of arachidonic acid release in PC12 cells
T. Nemoto, S. Horie, Y. Okuma, Y. Nomura, T. Murayama (Japan) 117
Systemic administration of a water-soluble hexasulfonated C_{60} (FC_4S) reduces cerebral ischemia-induced infarct volume in gerbils
D.-Y. Yang, M.-F. Wang, I.-L. Chen, Y.-C. Chan, M.-S. Lee, F.-C. Cheng (Republic of China) 121
Effect of mercaptoethylguanidine scavengers of peroxynitrite on the development of experimental allergic encephalomyelitis in PLSJL mice
G.S. Scott, R.B. Kean, G.J. Southan, C. Szabó, D.C. Hooper (USA) 125
Inhibition of rat PC12 cell calpain activity by glutathione, oxidized glutathione and nitric oxide
J. Rackoff, Q. Yang, P.B. DePetrillo (USA) 129
Sphingomyelinase but not ceramide induces nitric oxide synthase expression in rat brain microglia
M.-S. Yang, I. Jou, H. Inn-Oc, E.-h. Joe (South Korea) 133
Expression of voltage-gated calcium channel subunits in rat dorsal root ganglion neurons
S.P. Yusaf, J. Goodman, R.D. Pinnock, A.K. Dixon, K. Lee (UK) 137
Hydrogen peroxide induces transient dephosphorylation of tau protein in cultured rat oligodendrocytes
P. LoPresti, G.W. Konat (USA) 142

Volume 311, no. 3

Strong association of a novel Tau promoter haplotype in progressive supranuclear palsy
R. de Silva, M. Weiler, H.R. Morris, E.R. Martin, N.W. Wood, A.J. Lees (UK, USA) 145
Evidence for an estrogen-like action of raloxifene upon the hypothalamic-pituitary unit: raloxifene inhibits luteinizing hormone secretion and stimulates prolactin secretion in ovariectomized female rats
L. Pinilla, L.C. Gonzalez, M. Tena-Sempere, E. Aguilar (Spain) 149
Memory improving actions of gabapentin in mice: possible involvement of central muscarinic cholinergic mechanism
M.M. Boccia, G.B. Acosta, C.M. Baratti (Argentina) 153
Contralateral treatment with lidocaine reduces spinal neuronal activity in mononeuropathic rats
I. Bileviciute-Ljungar, G. Biella, P. Bellomi, M.L. Sotgiu (Sweden, Italy) 157
Differential synaptic localization of GluR2 and EAAC1 in the macaque monkey entorhinal cortex: a postembedding immunogold study
Y. He, P.R. Hof, W.G.M. Janssen, J.D. Rothstein, J.H. Morrison (USA) 161
Drebrin expression is increased in spinal motoneurons of rats after axotomy
S. Kobayashi, T. Shirao, T. Sasaki (Japan) 165
Bicarbonate and thiocyanate ions affect the gating of γ-aminobutyric $acid_A$ receptors in cultured rat cortical cells
G. Maksay, L. Fodor, N. Bielik, I. Tarnawa (Hungary) 169
Drinking related direct current positive potential shift in the human EEG depends on thirst
M. Hallschmid, M. Mölle, U. Wagner, H.L. Fehm, J. Born (Germany) 173
Propofol suppresses a hyperpolarization-activated inward current in rat hippocampal CA1 neurons
M. Funahashi, H. Higuchi, T. Miyawaki, M. Shimada, R. Matsuo (Japan) 177

Conduction velocity of the spinothalamic tract in humans as assessed by CO_2 laser stimulation of C-fibers
Y. Qiu, K. Inui, X. Wang, T.D. Tran, R. Kakigi (Japan) 181
Protein kinase C gamma-like immunoreactivity in the substantia gelatinosa of the medullary dorsal horn of the rat
J.-L. Li, Y.-Q. Li, S. Nomura, T. Kaneko, N. Mizuno (People's Republic of China, Japan) 185
Gonadal steroid receptor mRNA in catecholaminergic nuclei of the canary brainstem
D.L. Maney, D.J. Bernard, G.F. Ball (USA) 189
Prefrontal cortical hyperactivity in patients with sympathetically mediated chronic pain
A.V. Apkarian, P.S. Thomas, B.R. Krauss, N.M. Szeverenyi (USA) 193
Modulation of event-related potentials in normal human subjects by visual divided attention to spatial and color factors
S. Omoto, Y. Kuroiwa, M. Li, H. Doi, M. Shimamura, S. Koyano, H. Segawa, Y. Suzuki (Japan) 198
L-isoform but not S-isoform of myelin associated glycoprotein promotes neurite outgrowth of mouse cerebellar neurons
C. Shimizu-Okabe, Y. Matsuda, H. Koito, S. Yoshida (Japan) 203
The glutamate receptor agonist, AMPA, induces acetylcholine release in guinea pig cochlea; a microdialysis study
N. Hoya, K. Ogawa, Y. Inoue, Y. Takiguchi, J. Kanzaki (Japan) 206

Author Index to Volume 311 209
Contents to Volume 311 212